

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) An image forming apparatus for digitally reproducing a color image using a screen set consisting of a halftone screen for each color, wherein

a first-color halftone screen and a second-color halftone screen in said screen set satisfy a relationship that first vectors, each being either one of two screen vectors in a spatial frequency domain defined by basis vectors in two directions of a halftone dot pattern in the first-color or second-color halftone screen, are parallel to each other, and second vectors, each being the other one of the two screen vectors, are not parallel to each other.

2. (Original) An image forming apparatus according to claim 1, wherein said first-color halftone screen and said second-color halftone screen further satisfy a relationship that said first vectors are equal in magnitude.

3. (Original) An image forming apparatus according to claim 2, wherein at least one of said first-color and second-color halftone screens is a non-orthogonal screen.

4. (Original) An image forming apparatus according to claim 2, wherein a third-color halftone screen and a fourth-color halftone screen satisfy a relationship that second vectors, each being either one of two screen vectors in a spatial frequency domain defined by basis vectors in two directions of a halftone dot pattern in the third-color or fourth-color halftone screen, are parallel to each other as well as equal in magnitude, and first vectors, each being the other one of the two screen vectors, are not parallel to each other.

5. (Original) An image forming apparatus according to claim 4, wherein said second vector of said first-color halftone screen matches either one of secondary spectra, each represented by the sum or the difference of two screen vectors of said fourth-color halftone screen, and

said first vector of said third-color halftone screen matches either one of secondary spectra, each represented by the sum or the difference of two screen vectors of said second-color halftone screen.

6. (Previously Presented) An image forming apparatus according to claim 5, wherein

said first vector of said first-color halftone screen, said first vector of said third-color halftone screen, and said second vector of said second-color halftone screen form a closed triangle, and

said second vector of said first-color halftone screen, said first vector of said fourth-color halftone screen, and said second vector of said third-color halftone screen form a closed triangle.

7. (Original) An image forming apparatus according to claim 2, wherein said second vector of said first-color halftone screen matches either one of two screen vectors of a third-color halftone screen in said screen set.

8. (Original) An image forming apparatus according to claim 7, wherein a secondary spectrum represented by the sum or the difference of the two screen vectors of said first-color halftone screen matches either one of two screen vectors of a fourth-color halftone screen in said screen set.

9. (Original) An image forming apparatus according to claim 2, wherein
said screen set comprises four color halftone screens, and
the four color halftone screens have a relationship that two closed triangles can be formed using two screen vectors of each of the four color halftone screens, without a remainder.

10. (Original) An image forming apparatus according to claim 2, wherein in a case where directions of halftone dot arrangement match between said first-color and second-

color halftone screens, halftone dot intervals in the matched direction of the first-color halftone screen differ from the halftone dot intervals in the matched direction of the second-color halftone screen.

11. (Original) An image forming apparatus according to claim 2, wherein said screen set comprises four color halftone screens, and among a total of 8 primary spatial frequency spectra each corresponding to one of the screen vectors for each color and a total of 8 secondary spatial frequency spectra each corresponding to the sum or the difference of the screen vectors for the same color, the number of different spatial frequency spectra contained in a band of from the minimum frequency to the maximum frequency of said 8 primary spatial frequency spectra is less than 8.

12. (Original) An image forming apparatus according to claim 11, wherein said screen set comprises four halftone screens, one for each color, and among a total of 8 primary spatial frequency spectra, each corresponding to one of the screen vectors for each color and a total of 8 secondary spatial frequency spectra, each corresponding to the sum or the difference of the screen vectors for the same color, the number of different spatial frequency spectra contained in a band of from the minimum frequency to the maximum frequency of said 8 primary spatial frequency spectra is 6.

13. (Original) An image forming method for digitally reproducing a color image, comprising the steps of:

generating halftone images from input color images using a screen set consisting of multiple color halftone screens, wherein a first-color halftone screen and a second-color halftone screen in said screen set satisfy a relationship that first vectors, each being either one of two screen vectors in a spatial frequency domain defined by basis vectors in two directions of a halftone pattern of the first-color or second-color halftone screen, are

parallel to each other, and second vectors, each being the other one of the two screen vectors, are not parallel to each other, and

reproducing said input color images by combining said halftone images.

14. (Original) An image forming method according to claim 13, wherein said first-color halftone screen and said second-color halftone screen further satisfy a relationship that said first vectors are equal in magnitude.

15. (Original) An image forming method according to claim 14, wherein at least one of said first-color and second-color halftone screens is a non-orthogonal screen.

16. (New) An image forming apparatus for digitally reproducing a color image using a screen set consisting of a halftone screen for each color, comprising:

a first-color halftone screen; and

a second-color halftone screen,

wherein two first screen vectors, one in each halftone screen, each screen vector being in a spatial frequency domain defined by a basis vector of a halftone dot pattern of the respective halftone screen, are parallel to each other, and

two second screen vectors, one in each halftone screen, each screen vector being in a spatial frequency domain defined by a basis vector of a halftone dot pattern of the respective halftone screen, are not parallel to each other.